

# SAFETY DATA SHEET E.M.C. PLUS

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name E.M.C. PLUS

Product number A080 EV

Internal identification Janitorial

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Heavy Duty, Alkaline Cleaner for Safety Floor Cleaning and Floor Maintenance. Suitable for

use in the food Industry.

1.3. Details of the supplier of the safety data sheet

Supplier: UK Supplier: EU Supplier:

Evans Vanodine International plc Evans Vanodine Europe
Brierley Road, Evans Vanodine Europe
6-9 Trinity Street, Dublin 2.

Walton Summit, D02 EY47.

Preston. UK. PR5 8AH Republic of Ireland.

Tel: 01772 322 200

e-mail: productcompliance@evansvanodine.co.uk

1.4. Emergency telephone number

Emergency telephone New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to

1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to

1.30pm

National emergency telephone For Health Care Professionals only -

**number** For use in UK: Contact the National Poisons Information Service for further advice.

For use in the Republic of Ireland: To report a poisoning incident contact The National

Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166). .

For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police): 112

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

## E.M.C. PLUS

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

**Precautionary statements** P102 Keep out of reach of children.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 IF SWALLOWED:

P313 Get medical advice/ attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/ attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/ attention.

P501 Dispose of contents/ container in accordance with local regulations.

Contains SODIUM METASILICATE

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## SODIUM METASILICATE 3-5%

CAS number: —

#### Classification

Skin Corr. 1B - H314 Eye Dam. 1 - H318

## SODIUM DODECYL BENZENE SULPHONATE

3-5%

CAS number: 68411-30-3 EC number: 270-115-0

## Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

## ALCOHOL (C9-11) ETHOXYLATE (8EO)

1-3%

CAS number: 68439-46-3

Alternative CAS Nos 160875-66-1, 68439-45-2

## Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

## E.M.C. PLUS

SODIUM HYDROXIDE 0.1-1%

CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-

2119457892-27-xxxx

Spec Conc Limits: - Skin Corr. 1A (H314) >= 5 %, Skin Corr. 1B (H314) >=2% <5 %, Skin Irrit. 2 (H315) >=0.5%<2%, Eye

Irrit. 2 (H319) >=0.5% <2%

Classification

Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances. If spray/mist

has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and

at rest in a position comfortable for breathing.

**Ingestion** Do not induce vomiting. Give plenty of water to drink. Get medical attention.

**Skin contact** Wash with plenty of water. Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse. Get medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** Irritation of nose, throat and airway.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Causes skin irritation. Prolonged and frequent contact may cause redness and irritation.

Eye contact Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue

damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor**Treat symptomatically.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards Thermal decomposition or combustion products may include the following substances:

Irritating gases or vapours.

## 5.3. Advice for firefighters

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters clothin

## SECTION 6: Accidental release measures

## E.M.C. PLUS

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing, gloves, eye and face protection. For personal protection, see

Section 8.

#### 6.2. Environmental precautions

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Flush away spillage with plenty of water. Small Spillages: Large Spillages: Contain and

absorb spillage with sand, earth or other non-combustible material. Collect and place in

suitable waste disposal containers and seal securely.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

**Usage precautions** Wear protective clothing, gloves, eye and face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container in a cool, well-ventilated place. Store away from the

following materials: Oxidising materials. & Acids.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

**Usage description** See Product Information Sheet & Label for detailed use of this product.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### **SODIUM HYDROXIDE**

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

## 8.2. Exposure controls

#### Protective equipment





Appropriate engineering

controls

Not relevant.

**Eye/face protection** Wear eye protection.

**Hand protection** Wear protective gloves. (Household rubber gloves.)

Other skin and body

protection

None required.

**Respiratory protection** Respiratory protection not required.

### SECTION 9: Physical and chemical properties

## E.M.C. PLUS

### 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Clear. Pink.

Odour Odourless.

pH (concentrated solution): 12.50

Melting point -1°C

Initial boiling point and range 101°C @ 760 mm Hg

Flash point Boils without flashing.

Relative density 1.057 @ 20°C

**Solubility(ies)** Soluble in water.

9.2. Other information

Other information None.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** Reactions with the following materials may generate heat: Strong acids.

10.2. Chemical stability

Stability No particular stability concerns.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

See sections 10.1,10.4 & 10.5

#### 10.4. Conditions to avoid

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

#### 10.6. Hazardous decomposition products

Hazardous decomposition

No known hazardous decomposition products.

products

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are

from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Other health effects Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

Acute toxicity - oral

Notes (oral LD50) Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 17,054.49

## SECTION 12: Ecological information

## E.M.C. PLUS

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data

specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

#### 12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in Regulation (EC) No. 648/2004 on detergents. and UK Regulation: SI 2020 No.

1617 "The Detergents (Amendment) (EU Exit) Regulations 2020".

#### 12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility Not known.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

## 12.6. Other adverse effects

Other adverse effects Not known.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Disposal methods Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product

may be flushed with water to sewer. Larger volumes must be sent for disposal as special

waste. Rinse out empty container with water and consign to normal waste.

## SECTION 14: Transport information

**General** Not classified for Transport.

#### 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

## 14.3. Transport hazard class(es)

Not regulated.

#### 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

## Environmentally hazardous substance/marine pollutant

Nο

## 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

## E.M.C. PLUS

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission

Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit)

Regulations 2020".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained

Use) (Amendment etc.) (EU Exit) Regulations 2020.".

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms

(Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

ATE: Acute Toxicity Estimate.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

GHS: Globally Harmonized System.

Spec Conc Limits = Specific Concentration Limits.

Classification abbreviations

and acronyms

Acute Tox. = Acute toxicity

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Eye Dam. = Serious eye damage

Eye Irrit. = Eye irritation

Met. Corr. = Corrosive to metals

NC (Not Classified)

Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation

Key literature references and

sources for data

Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory

database.

Classification procedures according to Regulation (EC)

Calculation Method.

1272/2008

Revision comments Change of Address. & Addition of national emergency telephone number.

Revision date 14/01/2021

Revision 8

# E.M.C. PLUS

SDS status The Hazard Statements listed below in this Section No 16 relate to the Raw Materials

(Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard

Statements relating to this Product see Section 2.

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.