



SAFETY DATA SHEET

SEARCH FABRIC CONDITIONER

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME SEARCH FABRIC CONDITIONER
PRODUCT NO. A030 EV
INTERNAL ID P.108
APPLICATION Fabric Softener for Laundry industry
SUPPLIER Evans Vanodine International
 Brierley Road
 Walton Summit
 Preston. PR5 8AH
 Tel: 01772 322 200
 Fax: 01772 626 000
 qclab@evansvanodine.co.uk

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification (67/548)
ALKYLESTER AMMONIUM	295-344-3	91995-81-2	1-5%	Xi;R38.
ISOTRIDECANOL ETHOXYLATE (EO3-5)			1-5%	Xi;R41.
PROPAN-2-OL	200-661-7	67-63-0	0-1%	F;R11 Xi;R36 R67

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

The ingredients are present in non-hazardous concentrations.

4 FIRST-AID MEASURES

INHALATION

Not relevant. Inhalation unlikely.

INGESTION

DO NOT INDUCE VOMITING! Drink a few glasses of water or milk. Get medical attention if any discomfort continues.

SKIN CONTACT

Wash skin with soap and water.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPECIFIC HAZARDS

When heated and in case of fire, harmful vapours/gases may be formed.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SEARCH FABRIC CONDITIONER

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

No special protective clothing. (See Sec 8)

ENVIRONMENTAL PRECAUTIONS

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

SPILL CLEAN UP METHODS

Small quantities may be flushed to drains with plenty of water. Large Spillages: Pick up with vacuum or absorbent solid, store in closed container for disposal.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

No specific usage precautions noted.

STORAGE PRECAUTIONS

Store at moderate temperatures in dry, well ventilated area. Keep in original container. Store away from: Oxidising material.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3	

WEL = Workplace Exposure Limit.

INGREDIENT COMMENTS

WEL = Workplace Exposure Limit for COSHH assessments in the UK, -----

ST = Short-Term Exposure Limit (15 minute) & LT = Long-Term Exposure Limit (8 hours).

ENGINEERING MEASURES

Not relevant.

RESPIRATORY EQUIPMENT

Respiratory protection not required.

HAND PROTECTION

No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin.

EYE PROTECTION

None required.

OTHER PROTECTION

None required.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Viscous Liquid		
COLOUR	Opaque Pink		
ODOUR	Floral.		
SOLUBILITY	Soluble in water.		
BOILING POINT (°C)	100	MELTING POINT (°C)	0
RELATIVE DENSITY	1.000	pH-VALUE, CONC. SOLUTION	3.00
FLASH POINT (°C)	Boils without flashing		

10 STABILITY AND REACTIVITY

STABILITY

No particular stability concerns.

MATERIALS TO AVOID

No incompatible groups noted.

SEARCH FABRIC CONDITIONER

11 TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

Refer to section 2.

OTHER HEALTH EFFECTS

Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

BIOACCUMULATION

The product does not contain any substances expected to be bioaccumulating.

DEGRADABILITY

Surfactant is readily broken down by effluent treatment process.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Consign empty container to normal waste.

14 TRANSPORT INFORMATION

GENERAL

Not classified for Transport.

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

S2 Keep out of the reach of children.

S46 If swallowed, seek medical advice immediately and show this container or label.

P13 Safety data sheet available for professional user on request.

ENVIRONMENTAL LISTING

Hazardous Waste (England and Wales) Regulations.

EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EC. As amended by Directive 93/112/EC, 2001/58/EC and 2006/8/EC.

STATUTORY INSTRUMENTS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

APPROVED CODE OF PRACTICE

The compilation of safety Data Sheets L130.

GUIDANCE NOTES

Workplace Exposure Limits EH40. Approved guide to the Classification and Labeling of Substances and Preparations Dangerous for Supply. L100

16 OTHER INFORMATION

INFORMATION SOURCES

Approved Supply List - HSC (Health & Safety Commission) Material Safety Data Sheet, Misc. manufacturers.

REVISION COMMENTS

New formulation no change in product classification. (Changes made to sections 3, 9 & 16)

REVISION DATE 23/03/11

REV. NO./REPL. SDS Issue 6

GENERATED

SEARCH FABRIC CONDITIONER

RISK PHRASES IN FULL

- | | |
|-----|---|
| R11 | Highly flammable. |
| R36 | Irritating to eyes. |
| R38 | Irritating to skin. |
| R41 | Risk of serious damage to eyes. |
| R67 | Vapours may cause drowsiness and dizziness. |